

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A method of autonomically reorganizing code of a computer program, comprising the steps of:
  - monitoring branch count per instruction statistics, wherein the branch count per instruction statistics are generated from the results of a set of hardware counters that count branches taken per instruction of the computer program;
  - determining whether a block of code is to be reorganized based on a number of times a branch is taken per instruction, wherein the block of code comprises a set of instructions; and
  - in response to ~~the step of determining that a block of code is to be reorganized~~, locally reorganizing the block of code such that fewer branches are taken.
2. (Canceled)
3. (Original) The method of claim 1, wherein prior to the step of reorganizing the block of code, execution of the computer program is halted.
4. (Original) The method of claim 1, wherein reorganization of the block of code results in instructions of the block of code being more contiguous.
5. (Original) The method of claim 1, wherein reorganizing the block of code is performed locally by modifying an if/then/else clause condition.
6. (Currently amended) The method of claim 1, wherein reorganization of the block of code is performed locally by switching a ~~then/else~~ location of a then statement of an if/then/else clause with a location of an else statement of the if/then/else clause of a branch instruction of the block of code.

7. (Currently amended) A computer system for autonomically reorganizing code of a computer program, comprising:

a set of hardware counters associated with a set of branch instructions of a computer program, wherein the hardware counters are used to generate branch count per instruction statistics; and

a block of code including at least one branch instruction of the set of branch instructions; wherein the block of code is locally reorganized; and

wherein the branch count per instruction statistics comprise a number of times a branch is taken per instruction, and wherein the number of times a branch is taken per instruction is ~~[[are]]~~ used to determine whether to autonomically reorganize a block of code.

8. (Original) The system of claim 7, wherein the block of code is locally reorganized by modifying an if/then/else clause condition.

9. (Currently amended) The system of claim 7, wherein the block of code is locally reorganized by switching a location of a then ~~then/else~~ statement of an if/then/else clause with a location of an else statement of the if/then/else clause of an instruction of the block of code.

10. (Original) The system of claim 7, wherein execution of the computer program is halted while the block of code is locally reorganized.

11. (Original) The system of claim 7, wherein local reorganization of the block of code results in fewer branches being taken during execution of the program.

12. (Currently amended) A computer program product in a computer readable medium for autonomically reorganizing code of a computer program, comprising:

first instructions for monitoring branch count per instruction statistics, wherein the branch count per instruction statistics are generated from the results of a set of hardware counters that count branches taken per instruction of the computer program;

second instructions for determining whether a block of code is to be reorganized based on a number of times a branch is taken per instruction, wherein the block of code comprises a set of instructions; and

third instructions for, in response to ~~the step of~~ determining that a block of code is to be reorganized, locally reorganizing the block of code such that fewer branches are taken.

13. (Canceled)

14. (Original) The computer program product of claim 12, wherein prior to reorganizing the block of code, execution of the computer program is halted.

15. (Original) The computer program product of claim 12, wherein reorganizing the block of code results in instructions of the block of code being more contiguous.

16. (Original) The computer program product of claim 12, wherein reorganizing the block of code is performed locally by modifying an if/then/else clause condition.

17. (Currently amended) The computer program product of claim 12, wherein reorganizing the block of code is performed locally by switching a location of a then ~~then/else~~ statement of an if/then/else clause with a location of an else statement of the if/then/else clause of an instruction of the block of code.